

BELT OPTIONS: Standard size range 28-54" XL 28-68"

A0058: 2 Floating D Rings, 1 Fixed by Snap



A0099: 1 Fixed, 1 Floating D Ring



A1002: 1 Fixed D Ring



A1008: 2 Fixed D Rings



A1009: 2 Floating D Rings



A1050: 1 Floating D Ring



A1129: 1 Fixed, 1 Floating D Ring, 1 Fixed D Ring at Snap



BELT OPTIONS: Standard size range 28-54" XL 28-68"

A1126: 1 D Ring at Snap Hook



A1124: Fixed Tri-Link



A1127: RIT Belt (Steel Ladder hook)



A1128: RIT Truck Belt (Steel Ladder Hook, and back pad and tool holders)



6", 10", 12" Belt Extensions Available for belts



HARNESSES OPTIONS: Standard size range 28-54" XL 28-68"

A1121 Class II Kevlar Harness (With Steel or Aluminum Hook options)



A1213 Single Belt A Frame Fixed D Ring



A1214 Single Belt A Frame with Fixed Yates



FIRE DEX HARNESS OPTIONS: Standard size range 28-54" XL 28-68"

FD1838 I2H Class II Kevlar Harness for Fire Dex Gear, Right Closure with fixed yates



FD1837 I2H Class II Kevlar Harness for Fire Dex Gear, Left Closure with fixed yates



FIRE DEX HARNESS OP-

Standard size range 28-54" XL 28-68"

FD1918 Orange County Class II Kevlar Harness for Fire Dex Gear, Left Closure



FD1919 Orange County Class II Kevlar Harness for Fire Dex Gear, Right Closure





1900 Enterprise Pkwy. Suite H

Twinsburg, OH 44087

Phone: (330) 405-5444 Fax: (330) 487-5521

FIRE DEX HARNESS OPTIONS:

FD2474 San Antonio Class II Kevlar Harness for Fire Dex Gear, Left Closure

HARNESSES OPTIONS: Standard size range 28-54" XL 28-68"

A1047 CL II Nylon Harness (Black, red or Yellow color options), Steel and Aluminum hook options



A1602/A1620: Class III Nylon Harness (Red, Black or Yellow Color Options)



HARNESSES OPTIONS:

A0046: Rope Technician Class III Harness

